

TENDER DOCUMENT

FOR

PROVIDING AND FIXING FALSE CEILING AND ALUMINUM PARTITION WORKS IN
JRDA OFFICE AT HATIA MORE, DHANBAD

Tender Notice No : 03/2013-14

PLACE OF WORK : JRDA OFFICE, HATIA MORE, DHANBAD

PART – II

Price Bid



**JHARIA REHABILITATION AND DEVELOPMENT AUTHORITY
HATIA MORE, GOLF GROUND ROAD, DHANBAD
JHARKHAND**

PROVIDING AND FIXING FALSE CEILING AND ALUMINUM PARTITION WORKS IN
JRDA OFFICE AT HATIA MORE, DHANBAD

TENDER NOTICE NO : 03/2013-14

SYNOPSIS

I/We have gone through the Bills of Quantities in details in the attached sheets and
I/We hereby quote my/our rates as follows:-

.....% (in figures) (.....)
(in words) At Par/Percent above/ below the estimated rates, amounting to (in
figures) Rs.....) (in figures) Rs.
.....
..... (in words)

against the estimate value of Rs. 4,59,048.68 /-

Signature of the Contractor

(Name of the Contractor)

Bill of Quantity

Name of the work : Providing and Fixing False Ceiling And Aluminum Partition Works in
JRDA Office at Hatia More, Dhanabd.

SN	Item No	Item	Unit	Qty	Rate	Amount
1	Analysis rate	Providing and Fixing supsum false curing in the nawl etc.	sft	2275.00	106.77	242901.75
2	21.6 CPWD	Providing and fixing 6 mm dia. G.I. level adjusting hangers (upto 1200 mm length), fixed to roof slab by means of ceiling cleats made out of G.I. flat 40x3 mm size 60 mm long and stainless steel expandable dash fastener of 12.5 mm dia and 50 mm long, complete as per direction of E/I	set	273.00	100.70	27491.10
3	21.5 CPWD	Providing and fixing powder coated aluminium work (minimum thickness of powder coating 50 micron) consisting of tee/angle sections, of approved make conforming to IS : 733 in frames of false ceiling including aluminium angle cleats with necessary C.P. brass/stainless steel sunk screws, aluminium perimeter angles fixed to wall with stainless steel rawl plugs @ 450 mm centre to centre and fixing the frame work to GI level adjusting hangers 6 mm dia. with necessary cadmium plates machine screws all complete as per approved architectural drawings and direction of the E/I (level adjusting hangers, ceiling cleats and expansion hold fasteners to be paid for separately)	kg	186.13	465.45	86634.67
4	21.1.1.1 CPWD	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS : 733 and IS : 1285, fixing with dash fasteners of required dia and size, including necessary filling up the daps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc, Aluminium sections shall be smooth, rust free, straight, mitered and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing/paneling, C.P. brass/stainless steel screws, all complete as per architectural drawings and the directions of E/I. Anodised aluminium (anodized transparent or dyed to required shade according to IS : 1868, Minimum anodic coating of grade AC 15)	kg	144.58	358.30	51803.01
5	21.2.2 CPWD	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS : 12823 grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with CP brass/stainless steel screws etc. complete as per achitectural drawings and directons of E/I. Pre-laminated particle board with decorative lamination on both sides.	sqm	28.34	969.95	27488.38
6	21.3.2 CPWD	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber/reopened gasket etc. complete as per the architectural drawings and the directions of E/I with float glass panes of 5.50 mm thickness.	sqm	11.61	905.75	10515.76
7	21.4.1 CPWD	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having brand logo embossed on the body/plate with double spring mechanism and door weight upto 125 kg., for doors, including cost of cutting floors, embedding in floors as required and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of E/I with stainless steel cover plate minimum 1.25 mm thickness.	each	5.00	1953.10	9765.50
8	21.16.2 CPWD	Providing and fixing aluminium round shape handle of outer dia 100 mm with ss screws etc. complete as per direction of E/I. Powder coated minimum thickness 50 micron aluminium.	each	10.00	66.80	668.00
9	21.13 CPWD	Providing and fixing 100 mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete	each	5.00	356.10	1780.50
Total:						459048.68